

**OUR VICE-GRIP GUARANTEE** If you're not happy, we replace or refund in full.

# Artiglio Space Saver

#### Tyre Changer with Side Rotating Column

Corghi patented system gives working rage from 10" to 24" outside clamping with a simple cam adjustment. This provides a huge range without the need for an








The adjustable length bead breaker arm ensures that the bead breaker blade is always in the correct position in relation to the wheel, ruling out the risk of damage to the tyre and/or rim.





Newly-designed mount/demount foot with a read tab offers significant support during mounting step, Plastic protection inserts are also present to avoid scratching the rims. Very effective on RFT & UHP tyres





#### FEATURES

SERVICE

- Corghi The worlds most trusted and proven name in tyre changing equipment
- Artiglio Space Saver is an automatic tyre changer featuring a column with side rotation,24" turntable & a pneumatic bead depressor.
- The innovation of this column, with pneumatic rotation, is that it ensures reduced operating dimensions .This solution allows saving almost 1 m / 3.3 ft
- Ideal for mobile van installation
- For demounting car, SUV, van and motorcycle wheels.
- The standard turntable on the machine features a **patented** adjustable system that allows all types of wheels from 10" to 24" by being able to move the working range from 10"- 20" to 14"- 24" by a simple action of the operator. Its shape has been designed to guarantee the user, who works on large wheels, an easier and quicker positioning of the wheel and above all, keeps the overall dimensions of the turntable plate on the machine to a minimum.
- The length of **bead breaker arm can be extended**. This is very useful and ideal when working with large wheels and all-terrain wheels. Additionally, the bead breaker blade is always well positioned in relation to the wheel, avoiding possible damage to the tyre and/or rim. This function is faster and safer.
- Taller fully cast clamps for better rim clamping from both Inside and outside, and included as standard are clamp covers for both the front and back of the clamps.
- A robust and reliable tyre changer for intensive use
- The demounting and mounting tool is a major innovation for this tyre changer. The addition of the newly-designed read tab offers significant support during mounting step, facilitates tyre installation on the rim and avoids possible damage to the tyre. Plastic protections are also present to avoid scratching the rims. Very effective also on RFT, UHP e BSR tyres in combination with the bead pressing tool, available as accessory.



www.automaster.co.nz

## Artiglio Space Saver

### Tyre Changer with Side Rotating Column



SERVICE OUR VICE-GRIP GUARANTEE

# Optional ATV or M/C adapters

SPECIFICATIONS	
Inside clamping capacity	13"- 26"
Outside clamping capacity	10"-24"
Maximum tyre diameter	1035mm
Maximum tyre width	360mm/14"
Rotation torque	1200nm
Turn table height	675mm

SPECIFICATIONS	
Power supply voltage	230 V - 0,75 kW
Operating pressure	120-140psi
Bead breaker max opening	370mm
Bead breaker force	15500 n
Locking mechanism	Pneumatic
Machine weight	260kg
Tilting column	Pneumatic

